LVTONG®

GUANGDONG LYTONG NEW ENERGY ELECTRIC VEHICLE TECHNOLOGY CO., LTD.

- Pactory Address: No. 15, Hongmei Section, Wangsha Road, Hongmei Town, Dongguan City, Guangdong Province, China.
- E-Mail: cleaning@lvtong.com.cn
- © Tel: +86-769-22773916
- Fax: +86-769-22704248





ABOUT US

Guangdong Lvtong New Energy Electric Vehicle Technology Co., LTD. (stock code: 301322) was founded in 2004, stands in Dongguan City, Guangdong Province, China.

With an area of more than 200,000 square meters, its annual capacity is about 20,000 units. We are a professional modern enterprise specialized in research, production & sales of floor cleaning machines. A professional R&D team is our strong backup. We concentrate on product innovation and upgrade. Products include walk-behind floor scrubbers, ride-on floor scrubbers and ride-on floor sweepers. All our products comply with international quality standards and achieve energy-saving, low consumption, high efficiency and eco-friendly performance. With the concept of "Quality first, Customer first", we believe that we will not only win the customer but also will the market.













Product multi-angle display











Product parameter

Model	Q5	Product dimensions	1250*500*990mm
Battery capacity	24 V/ 100Ah	Package dimensions	1340*650*1140mm
Brush/Suction motor	550W/450W	Scrubbing width	510mm (19 inch brush)
Clean water tank capacity	50L	Squeegee width	850mm
Recovery tank capacity	55L	Working time	3~5 hours
Max theoretical work efficiency	1980m/h	Net weight	175kg
Applying space	500-2000m²	Gross Weight	205kg





Product multi-angle display











Product parameter

Model	LT-S530X	Product dimensions	1370*502*1040mm
Battery capacity	24 V 1100Ah	Package dimensions	1500*680*1200mm
Brush motor	550W	Scrubbing width	530mm(21 inch brush)
Suction motor	450W	Squeegee width	890mm
Clean water tank capacity	60L	Working time	3~5h
Recovery tank capacity	65L	Charging time	5h
Max theoretical work efficiency	2100m²/h	Charger	24V20A (Lithium battery)
Net weight	123kg	Work noise	70 dbA



Screen

LCD color display screen



Operation panel

Intelligent operation panel, multiple programs adjustable.



Operating armrest Ergonomic design, easier to operate

Float valve filter

Prevent debris from clogging the pipes and alarm when the recovery tank is full



Clean water tank entrance

Roto-molding process, more durable



Anti-collision wheel

Protect the brush plate from being accidentally scratched during operation



Squeegee assembly



Bluetooth speakers and USB interface

Screen

LCD color display screen

Operating armrest

Intelligent operation panel, multiple programs adjustable

Speed Pedal

Integrating acceleration, brake and

parking together

Diversified designs meet the differentiated demands of customers.



Operating armrest

Ergonomic design, easier to operate

Brush cover

Prevent water from spraying out

during working



Warning light

Working warning, reversing warning

LYTONG

Battery

Standard lithium battery



Float valve filter

Prevent debris from clogging the pipes and alarm when the recovery tank is full



Squeegee assembly

Die-casting aluminum squeegee components, more durable



Clean water tank entrance

Roto-molding process, more durable



Motor

Brush DC motor550W output, low starting exhaust, instant braking, stable performance, and high-temperature resistance.






Speed Pedal

Integrating acceleration, brake and parking together



Tire

Aluminum alloy rims: light weight, beautiful appearance, good heat dissipation performance, can increase the life of tires and brake pads



LVTONG

Brush cover

Prevent water from spraying out during working



Battery

Standard lithium battery



Die-casting aluminum squeegee components, more durable

















































